

# **Bucks-Composites**www.bucks-composites.com

Tel. No: 01903 765918 Mobile: 07762 882378



**Product Catalogue 2024** 

Order online at: www.bucks-composites.com

Email Address: info@bucks-composites.com

Carbon Fibre, Glass Fibre, Resins, Tools & More



A colour product catalogue can be viewed or downloaded and printed from the website.

Purchases can be made through this website with PayPal or with a Credit or Debit Card (stripe).

### **GLASS FIBRE WOVEN CLOTH**



**RESIN CONSUMPTION:** 20G/M<sup>2</sup> LAMINATE THICKNESS: 0.027 MM, LAMINATE WEIGHT: 45 G/M<sup>2</sup>

# ULTRA LIGHTWEIGHT CLOSE WEAVE 25G/M<sup>2</sup> - 1.1 METRE WIDE

WOVEN GLASS CLOTH SUITABLE FOR SURFACE FINISHING ON MODEL GLIDERS, AIRCRAFT WINGS & FUSELAGE.

FOR LAMINATING OR SURFACE FINISHING WITH EPOXY RESIN OR SINGLE-PART COATING.

WE RECOMMEND APPLYING THE ABOVE TO THIS

GLASS CLOTH WITH A ROLLER.

TO PREVENT DRAGGING THE GLASS CLOTH

#### PRICE

LENGTH 1M PACK £7.00 LENGTH 2M PACK £13.50



Use our super special 1.1m wide 25g or 49g glass fibre woven cloth for covering model wings when the orientation of fibres are layed at +45 degree angle or -45 degree angle which will increase the torsional stiffness.



RESIN CONSUMPTION: 39G/M<sup>2</sup> LAMINATE THICKNESS: 0.050 MM, LAMINATE WEIGHT: 88G/MM

# SUPER LIGHTWEIGHT CLOSE WEAVE 49G/m<sup>2</sup> - 1.1 METRE WIDE

WOVEN GLASS CLOTH SUITABLE FOR SURFACE FINISHING ON MODEL GLIDERS, AIRCRAFT WINGS & FUSELAGE.

FOR LAMINATING OR SURFACE FINISHING WITH EPOXY RESIN OR SINGLE-PART COATING.

WE RECOMMEND APPLYING THE ABOVE TO THIS
GLASS CLOTH WITH A ROLLER.
TO PREVENT DRAGGING THE GLASS CLOTH

#### **PRICE**

LENGTH 1M PACK £6.50 LENGTH 2M PACK £12.00





RESIN CONSUMPTION: 63G/M<sup>2</sup> LAMINATE THICKNESS: 0.088 MM, LAMINATE WEIGHT:143G/M<sup>2</sup>

### **LIGHTWEIGHT PLAIN WEAVE 80G/M<sup>2</sup> - 1 METRE WIDE**


WOVEN GLASS FIBRE CLOTH

FOR LAMINATING WITH POLYESTER RESIN OR EPOXY RESIN.

#### PRICE

LENGTH 1M PACK £5.50 LENGTH 2M PACK £10.00





THICKNESS 0.15MM DRY

# GLASS FIBRE TWILL WEAVE CLOTH 100G/M<sup>2</sup> - 1 METRE WIDE

WOVEN GLASS FIBRE CLOTH MEDIUM WEIGHT

SUITABLE FOR MOULDING AROUND COMPOUND CURVES DUE TO TWILL WEAVE.

#### **PRICE**

LENGTH 1M PACK £5.00 LENGTH 2M PACK £9.00





#### RESIN CONSUMPTION: 128G/M<sup>2</sup> LAMINATE THICKNESS 0.179MM / WEIGHT 291G/M<sup>2</sup>

## GLASS FIBRE TWILL WEAVE CLOTH 163G/M<sup>2</sup> - 1 METRE WIDE

WOVEN GLASS FIBRE CLOTH MEDIUM WEIGHT

SUITABLE FOR MOULDING AROUND COMPOUND CURVES DUE TO TWILL WEAVE.

#### PRICE

LENGTH 1M PACK £6.50 LENGTH 2M PACK £12.00





THICKNESS 0.20MM DRY


# GLASS FIBRE PLAIN WEAVE CLOTH 200G/M<sup>2</sup> - 1 METRE WIDE

WOVEN GLASS FIBRE CLOTH HEAVY WEIGHT

#### **PRICE**

LENGTH 1M PACK £6.50 LENGTH 2M PACK. £12.00





RESIN CONSUMPTION: 220G/M<sup>2</sup> LAMINATE THICKNESS 0.308MM / WEIGHT 500G/M<sup>2</sup>

# GLASS FIBRE TWILL WEAVE CLOTH 280G/M<sup>2</sup> - 1 METRE WIDE

WOVEN GLASS FIBRE CLOTH HEAVY WEIGHT

SUITABLE FOR MOULDING AROUND COMPOUND CURVES DUE TO TWILL WEAVE.

#### **PRICE**

LENGTH 1M PACK £7.50 LENGTH 2M PACK £14.00



WOVEN GLASS FIBRETAPE 225G/M² PLAIN WEAVE  GLASS REINFORCING TAPE IDEAL FOR REPAIRS ETC.	SIZE WIDTH 20MM 1 METRE ROLL - £0.34 WIDTH 20MM 2 METRE ROLL - £0.63 WIDTH 20MM 3 METRE ROLL - £0.87 WIDTH 20MM 4 METRE ROLL - £1.06 WIDTH 20MM 5 METRE ROLL - £1.20 WIDTH 20MM 10 METRE ROLL - £2.15 WIDTH 20MM 50 METRE ROLL - £7.50
WOVEN GLASS FIBRETAPE 225G/M² PLAIN WEAVE  GLASS REINFORCING TAPE IDEAL FOR REPAIRS ETC.	WIDTH 30MM 1 METRE ROLL - £0.38 WIDTH 30MM 2 METRE ROLL - £0.71 WIDTH 30MM 3 METRE ROLL - £0.99 WIDTH 30MM 4 METRE ROLL - £1.22 WIDTH 30MM 5 METRE ROLL - £1.40 WIDTH 30MM 10 METRE ROLL - £2.55 WIDTH 30MM 50 METRE ROLL - £9.50
WOVEN GLASS FIBRETAPE 225G/M² PLAIN WEAVE  GLASS REINFORCING TAPE IDEAL FOR REPAIRS ETC.	WIDTH 40MM 1 METRE ROLL - £0.42 WIDTH 40MM 2 METRE ROLL - £0.79 WIDTH 40MM 3 METRE ROLL - £1.11 WIDTH 40MM 4 METRE ROLL - £1.38 WIDTH 40MM 5 METRE ROLL - £1.60 WIDTH 40MM 10 METRE ROLL - £2.95 WIDTH 40MM 50 METRE ROLL - £10.50
WOVEN GLASS FIBRETAPE 225G/M² PLAIN WEAVE  GLASS REINFORCING TAPE IDEAL FOR REPAIRS ETC.	WIDTH 60MM 1 METRE ROLL - £0.59 WIDTH 60MM 2 METRE ROLL - £1.13 WIDTH 60MM 3 METRE ROLL - £1.62 WIDTH 60MM 4 METRE ROLL - £2.06 WIDTH 60MM 5 METRE ROLL - £2.45 WIDTH 60MM 10 METRE ROLL - £4.65 WIDTH 60MM 50 METRE ROLL - £18.00
WOVEN GLASS FIBRETAPE 225G/M² PLAIN WEAVE  GLASS REINFORCING TAPE IDEAL FOR REPAIRS ETC.	WIDTH 80MM 1 METRE ROLL - £0.69 WIDTH 80MM 2 METRE ROLL - £1.33 WIDTH 80MM 3 METRE ROLL - £1.92 WIDTH 80MM 4 METRE ROLL - £2.46 WIDTH 80MM 5 METRE ROLL - £2.95 WIDTH 80MM 10 METRE ROLL - £5.65 WIDTH 80MM 50 METRE ROLL - £24.50
WOVEN GLASS FIBRETAPE 225G/M² PLAIN WEAVE  GLASS REINFORCING TAPE IDEAL FOR REPAIRS ETC. SUITABLE FOR JOINING MODEL AIRCRAFT WINGS TOGETHER.	WIDTH 100MM 1 METRE ROLL - £0.79 WIDTH 100MM 2 METRE ROLL - £1.53 WIDTH 100MM 3 METRE ROLL - £2.22 WIDTH 100MM 4 METRE ROLL - £2.86 WIDTH 100MM 5 METRE ROLL - £3.45 WIDTH 100MM 10 METRE ROLL - £6.65 WIDTH 100MM 50 METRE ROLL - £27.50
WOVEN GLASS FIBRETAPE 225G/M² PLAIN WEAVE  GLASS REINFORCING TAPE IDEAL FOR REPAIRS ETC.	WIDTH 200MM 1 METRE ROLL - £1.25 WIDTH 200MM 2 METRE ROLL - £2.45 WIDTH 200MM 3 METRE ROLL - £3.60 WIDTH 200MM 4 METRE ROLL - £4.70 WIDTH 200MM 5 METRE ROLL - £5.75 WIDTH 200MM 10 METRE ROLL - £11.25 WIDTH 200MM 50 METRE ROLL - £42.50

### **CARBON FIBRE WOVEN TAPE**




# CARBON FIBRE WOVEN TAPE 232G/M<sup>2</sup>

PLAIN WEAVE WIDTH 1" / 25MM THICKNESS 0.37MM

Carbon Fibre 3k warp & weft

For use with laminating resins





### CARBON FIBRE WOVEN TAPE 232G/M<sup>2</sup>

PLAIN WEAVE WIDTH 2" / 50MM THICKNESS 0.37MM

Carbon Fibre 3k warp & weft

For use with laminating resins

SIZE			PRICE
WIDTH 50MM	1 METRE ROLL		£2.35
WIDTH 50MM	2 METRE ROLL		£4.50
WIDTH 50MM	3 METRE ROLL	-	£6.45
WIDTH 50MM	4 METRE ROLL	-	£8.20
WIDTH 50MM	5 METRE ROLL	-	£9.75

£18.50

£87.00

WIDTH 50MM 10 METRE ROLL -

WIDTH 50MM 50 METRE ROLL -



# CARBON FIBRE WOVEN TAPE 232G/M<sup>2</sup>

PLAIN WEAVE WIDTH 3" / 75MM THICKNESS 0.37MM

Carbon Fibre 3k warp & weft

For use with laminating resins

#### SIZE PRICE

WIDTH 75MM 1 METRE ROLL - £3.10 WIDTH 75MM 2 METRE ROLL - £6.00 WIDTH 75MM 3 METRE ROLL - £8.70

WIDTH 75MM 4 METRE ROLL - £11.20 WIDTH 75MM 5 METRE ROLL - £13.50

WIDTH 75MM 10 METRE ROLL - £26.00 WIDTH 75MM 50 METRE ROLL - £125.00



# CARBON FIBRE WOVEN TAPE 232G/M<sup>2</sup>

PLAIN WEAVE WIDTH 4" / 100mm THICKNESS 0.37MM

Carbon Fibre 3k warp & weft

For use with laminating resins

#### Size Price

WIDTH 100MM 4 METRE ROLL - £14.80

WIDTH 100MM 5 METRE ROLL - £18.00 WIDTH 100MM 10 METRE ROLL - £35.00

WIDTH 100MM 50 METRE ROLL - £170.00



# CARBON FIBRE WOVEN TAPE 232G/M<sup>2</sup>

PLAIN WEAVE WIDTH 6" / 150MM THICKNESS 0.37MM

Carbon Fibre 3k warp & weft

For use with laminating resins

#### SIZE PRICE

WIDTH 150MM 1 METRE ROLL - £5.80
WIDTH 150MM 2 METRE ROLL - £11.40
WIDTH 150MM 3 METRE ROLL - £16.80
WIDTH 150MM 4 METRE ROLL - £22.00
WIDTH 150MM 5 METRE ROLL - £27.00
WIDTH 150MM 10 METRE ROLL - £53.00

WIDTH 150MM 50 METRE ROLL - £260.00

### **WOVEN TAPE**





#### ARAMID / KEVLAR® THREAD

Very strong for whipping. This thread is x5 stronger than steel thread and does not melt even when heated up to 425°C continuously. Aramid reacts with UV light & will decrease in strength over time (50% in est, 50 – 60 weeks) but does not affect its fire/temperature resistance.

#### **PRICE**

**KEVLAR® THREAD** 

0.20MM DIAMETER

40 METRE BOBBIN £6.50



#### **CARBON FIBRE 6K YARN / TOW**

Ideal for reinforcing, Balsa wood, Spars, etc. can be applied with epoxy resin, cyano. 0.4g per metre.



### LENGTH PRICE

25 METRE BOBBIN - £2.50 50 METRE BOBBIN - £3.50 100 METRE BOBBIN - £4.50 1000 METRE BOBBIN - £30.00

Impressively light & rigid when impregnated with Epoxy,
Vinyl ester resins or Cyano (super glue)



#### **CARBON FIBRE 12K YARN / TOW**

Ideal for reinforcing, Balsa wood, Spars, etc. can be applied with epoxy resin, cyano. 0.8g per metre.

Cross sectional area 0.444mm²



### LENGTH PRICE

25 METRE BOBBIN - £3.50 50 METRE BOBBIN - £5.50 100 METRE BOBBIN - £7.50 1000 METRE BOBBIN - £45.00

Impressively light & rigid when impregnated with Epoxy,
Vinyl ester resins or Cyano (super glue)



#### **CARBON FIBRE 24K YARN / TOW**

Ideal for reinforcing, Balsa wood, Spars, etc. can be applied with epoxy resin, cyano. 1.6g per metre.



#### LENGTH

PRICE

25 METRE BOBBIN - £5.50 50 METRE BOBBIN - £8.00 100 METRE BOBBIN - £14.50 1000 METRE BOBBIN - £85.00

Impressively light & rigid when impregnated with Epoxy,
Vinyl ester resins or Cyano (super glue)



#### **PVA GLOSS FILM RELEASE AGENT**

Release agent for epoxy and polyester resin. Silicone-free.

Any residue in the mould and on the component dissolves in water and is simply washed off. One coat of PVA is applied before each mould taken.

This product is highly biodegradable and not a hazardous substance

#### **PRICE**

250ml £8.50



### CARBON FIBRE BRAIDED SLEEVE 5MM

Technical data:

Fibre: Torayca T300 67 tex

(1k)

Diameter: 2.5–11 mm Thickness: 0.18 mm Width flat: 5 mm Threads: 40 Weight: 2.75 g/m

#### **PRICE**

1 METRE PACK £5.50 2 METRE PACK £10.50 3 METRE PACK £15.25 4 METRE PACK £19.50 5 METRE PACK £23.75



### CARBON FIBRE BRAIDED SLEEVE 14MM

Fibre: Tenax® 200 tex (3k) Diameter: 9.7mm to 16.8mm

Thickness: 0.44mm

Technical Data at 45° braid angle:

Diameter 13.7mm Width flat 21.5mm Weight 13.6g/m

#### **PRICE**

1 M  $(0.75 \text{ M} \oplus 45^{\circ})$  - £6.50 2 M  $(1.5 \text{ M} \oplus 45^{\circ})$  - £12.80 3 M  $(2.25 \text{ M} \oplus 45^{\circ})$  - £18.90 4 M  $(3.0 \text{ M} \oplus 45^{\circ})$  - £24.80 5 M  $(3.75 \text{ M} \oplus 45^{\circ})$  - £30.50



### CARBON FIBRE BRAIDED SLEEVE 18MM

Fibre: Torayca T300J 400 tex

(6k)

Diameter: 4mm to 22mm Thickness: 0.35mm

Technical Data at 45° braid angle:

Diameter 17.8mm Width flat 28.0mm Weight 18.1g/m

#### **PRICE**

 $1 \text{ M } (0.75\text{ M } @ 45^{\circ})$  - £7.50  $2 \text{ M } (1.5\text{ M } @ 45^{\circ})$  - £14.50  $3 \text{ M } (2.25\text{ M } @ 45^{\circ})$  - £21.25  $4 \text{ M } (3.0\text{ M } @ 45^{\circ})$  - £27.50  $5 \text{ M } (3.75\text{ M } @ 45^{\circ})$  - £33.50  $10 \text{ M } (7.5\text{ M } @ 45^{\circ})$  - £65.00



### CARBON FIBRE BRAIDED SLEEVE 35MM

Fibre: Torayca T300J 200 tex

(3k)

12mm to 40mm Diameter.

Thickness 0.39mm

Technical Data at 45° braid angle:

Diameter 34.4mm. Width flat 54.0mm Weight 27.2g/m

#### **PRICE**

1 M (0.70M @ 45°) - £7.50 2M (1.40M @ 45°) - £14.50 3 M (2.10M@ 45°) - £21.25 4 M (2.80M@ 45°) - £27.50 5 M (3.60M@ 45°) - £33.50 10 M (7.20M@ 45°) - £65.00



### CARBON FIBRE BRAIDED SLEEVE 60MM

Fibre: Torayca T300J 400 tex

(6k)

Diameter: 20mm to 70mm

Thickness: 0.27mm

Technical Data at 45° braid angle:

Diameter 62.4mm Width flat 98.0mm Weight 40.7g/m

#### **PRICE**

1 M (0.75M @ 45°) - £9.50 2 M (1.50M @ 45°) - £18.50 3 M (2.25M@ 45°) - £27.25 4 M (3.0M@ 45°) - £35.75 5 M (3.75M@ 45°) - £44.25 10 M (7.5M@ 45°) - £88.00

For technical reasons it is not possible to wind up sleeves in a fibre angle of 45°.

The amounts of differ therefore on the length at 45°.





This is used to give an overall rough, bondable upper surface free from release agent film once the resin has cured.

Process procedure: Lay on laminate, leave laminate to cure and then peel off the Peel Ply to leave a bondable surface.

Peel ply has been well-known to aircraft construction for many years. The screen fabric is made of nylon and is applied as a final layer to the epoxy resin laminate. Following the increase in hardness or respectively before bonding the parts, the peel ply is peeled off (torn off). This results in an **overall rough**, **bondable upper surface free from lubricating film**.

Suitable for epoxy resins.

#### PEEL PLY

#### **PLAIN WEAVE TAPE**

Peel ply tape can be used for live hinges on model gliders & model aircraft.

The peel ply tapes are available in various widths.

Sizes are:-

20mm, 30mm, 50mm and 100mm wide

Lengths are:-

1m, 2m, 3m, 5m & 100 metre rolls

#### **PRICE**

20mm wide
1M ROLL£0.35
2M ROLL£0.60
3M ROLL£0.75
5M ROLL£1.00
100M ROLL£17.50
30mm wide
1M ROLL£0.40
2M ROLL£0.70
3M ROLL£0.90
5M ROLL£1.25
100M ROLL£20.00
50mm wido
50mm wide
1M ROLL£0.55
1M ROLL£0.55 2M ROLL£1.00
1M ROLL£0.55
1M ROLL£0.55 2M ROLL£1.00
1M ROLL£0.55 2M ROLL£1.00 3M ROLL£1.35
1M ROLL£0.55 2M ROLL£1.00 3M ROLL£1.35 5M ROLL£2.00 100M ROLL£35.00
1M ROLL£0.55 2M ROLL£1.00 3M ROLL£1.35 5M ROLL£2.00 100M ROLL£35.00
1M ROLL£0.55 2M ROLL£1.00 3M ROLL£1.35 5M ROLL£2.00 100M ROLL£35.00  100mm wide 1M ROLL£0.65
1M ROLL
1M ROLL
1M ROLL



#### **BUCKS SINGLE-PART COATING SYSTEM**

#### **Single-Part Coating**

The brush or roller when used with Single-Part Coating System can be easily cleaned with warm soapy water

#### Foam Friendly, No mixing required, dries clear.

Makes a good base layer with glass fibre woven cloth (25g or 48g) for painting foam models.

#### Shake bottle before use.

When covering a foam surface, sand the foam smooth then cut the glass fibre woven cloth to size and lay on the foam surface. Now wet out the cloth with the Bucks Single-Part coating system with a coating brush or a roller then leave for 2 hours to dry before applying another coat. Repeat the process until the required finish is achieved.

#### Not fuel proof.

Full Strength can be over 8 weeks.

#### PRICE

**Gloss Finish** 

Or

Semi-Matt Finish

250ml - £5.50

500ml - £10.00

Low Odour & easy to use



#### **EPOXY CLEANER / THINNERS**

Cleaner/Thinners for our Epoxy Resin & Hardener.

Makes an ideal cleaner for our uncured Epoxy Resin & Hardener on brushes & tools.

Can be added to our Epoxy Resin & Hardener to thin for sealing wood.

Mix Epoxy Resin & Hardener first, then add up to 1 part Epoxy thinners (20%) to 5 parts Activated Epoxy Resin and Hardener mixed well, then put into a larger area (for example: in a roller tray) to prevent heat build up.

Ideal to thin our Epoxy Resin & Hardener for a sealing coat on wood prior to covering with glass fibre woven cloth & activated Epoxy Resin & Hardener to stop excessive absorption of un-thinned Epoxy Resin & Hardener in the covering process to keep the weight down.

Methanol Thinners is not meant for structural use, only for sealing wood in the modelling covering process.

Both are Foam Friendly.

#### **PRICE**

Epoxy Thinners / Cleaner Methanol

Colour-Pink 500ml- £2.50

Epoxy Thinners / Cleaner IPA

ISOPROPYL ALCOHOL 99.9%

Colour-Clear 500ml- £3.50



#### Pure Acetone

Pure Acetone is a powerful solvent. It is mainly used for cleaning uncured Polyester Fibreglass resin form brushes & tools. We don't recommend thinning resin with Pure Acetone.

Pure Acetone is good for degreasing surfaces ready for bonding or repair work.

Store in a cool dry area with lid tightly closed.

#### PRICE

Pure Acetone

Colour-Clear

500ml-£3.50

#### **Not Foam Friendly**

Please note: For cleaning our uncured Epoxy resins from brushes and tools we recommend our **Epoxy Cleaner / Thinners**.



#### **BUCKS FORMULA 5 MINUTE EPOXY ADHESIVE**

Fast-setting, solvent- and filler-free two-component epoxy resin adhesive of honey-like viscosity ideal for bonding wood, metal, stone, rigid foams and many plastics.

- High bond strength
- Tough-hard formulation
- Grindable

Ideal for adding fillers such as Micro balloons, Micro fibres, Thixotropic agent etc, also good for gap filling.

Mixing ratio:1 part resin to 1 part hardener by weight or volume. Pot life: 3 to 5 minutes.

Loads can be applied to the bond after only 10 minutes

#### **PRICE**

#### INCLUDES:

100g resin &

100g hardener

Two 30ml mixing pots

Two spatulas

200g kit- £6.50

Bucks Composites
ENOXY RESP

#### **EPOXY RESIN L285 WITH HARDENER 285.**

#### Model coating or Laminating.

For impregnating Aramid / Kevlar®, Glass & Carbon Fibre.

Very good for wetting out very lightweight glass fibre cloth on model gliders & aircraft from sealing coat to finishing.

#### Notes:

Please take into consideration **heat generation** when mixing resin and hardener. Once mixed put into a larger area in a tub this will prevent higher temperature generated and give you a longer pot life.

Full depth cure

Pot life 50mins / Cure time 24 hours at room temp.

Foam friendly Low viscosity with easy mixing ratio.

### PRICE


Combined net weight

150g - £6.50

350g - £12.50

700g - £22.50

1.4kg - £42.50



### PURE WHITE PASTE



JET BLACK PASTE

### **COLOURING PASTE**

A universal colour paste with high pigment content in a reaction neutral binding agent which gives a good covering.

**Use:** For the pigmentation of Epoxy & Polyester resin & gel-coat systems.

**NOTE:** THESE ARE NOT SUITABLE FOR SILICON CASTING COMPOUNDS OR SINGLE-PART COATING PRODUCTS.

Add to activated Laminating and casting resins at 2-5 % by weight.

Add to activated gel-coats at 10-15 % by weight.

#### PRICE

50g bottle £9.50 each

250g bottle £17.50 each

#### **EPOXY RESIN MEASURING TIP**

Weigh out the required amount of resin, divide this by 100, and then multiply by the Hardener ratio found on Hardener container weight to give you Hardener quantity. Then mix well. Always use the correct Hardener for Epoxy Resin as most of the Hardeners are not interchangeable unlike Polyester Resin. Please see our mixing ratio chart which can be down loaded from our website.



EPOXY RESIN SPREADER (SIMILAR TO A CREDIT CARD)	<u>Price</u>
Single	22p
Pack of 5	£1.00
Pack of 10	£1.80
Pack of 20	
	£3.20



#### **BUCKS WING JOINING OR**

#### SMALL EPOXY REPAIR KIT

The kit contains laminating Epoxy Resin L285 and Hardener 285 150ml, Glass Fibre Reinforcing Tape 100mm (4") Wide / One Metre Long 225gsm, one resin spreader card, one ½" brush, two mixing pots, two spatulas, one pair of surgical gloves and full set of instructions for joining a wing on model aeroplanes and gliders.

This kit is very useful for repairs to model Boats, Planes & Glider mouldings. Also good for other items that need repairing & reinforcing.

#### Foam Friendly

### **PRICE**

**PRICE** 

Per kit £7.50

25g - 2 Metre Pack £26.00 1.1metre wide

49g - 2 Metre Pack £24.50 1.1 metre wide



# BUCKS 2 METRE SURFACE FINISHING KITS PACK ONE EPOXY KIT (2 METRE LONG)

One pack of 2 metre long of 25g or 49g Woven Glass Cloth, 350g epoxy resin L285 & hardener 285, 1 Pair of surgical gloves, ½ "Brush, 2 spatulas, 2 measuring containers & epoxy resin spreader card.

The 2 metre pack is available in two weights of woven glass 25g and 49g.

#### Foam Friendly

Note: We recommend the use of rollers for applying epoxy resin to glass cloth on model aircraft wings and fuselage for best results.

# BUCKS 4 METRE SURFACE FINISHING KITS PACK TWO Epoxy kit (4 METRE LONG)

Two packs of 2 metre long of 25g or 49g Woven Glass Cloth, 700g epoxy resin L285 & hardener 285, 1 pair of surgical gloves, 1" Brush, 2 spatulas, 2 measuring containers, epoxy resin spreader card.

The 4 metre pack is available in two weights of woven glass 25g and 49g.

#### Foam Friendly

Note: We recommend the use of rollers for applying epoxy resin to glass cloth on model aircraft wings and fuselage for best results.



25g - 4 Metre Pack £49.50 1.1 metre wide

49g - 4 Metre Pack £46.50 1.1 metre wide





Low Odour & easy to use

#### **BUCKS 2 METRE SINGLE-PART COATING KIT**

Makes a good base layer with glass fibre woven cloth for painting foam models.

One pack of 2 metre long of 25g or 49g Woven Glass Fibre Cloth, 250ml of Bucks Single-Part Coating System, 1 Synthetic Coating 1" Brush, epoxy resin spreader card, 60ml Pot. & Pair of Surgical gloves
The brush when used with Single-Part Coating System can be easily

Not fuel proof.

cleaned with warm soapy water.

Foam Friendly, No mixing required, dries clear. Shake bottle before use

Full Strength can be over 8 weeks.

#### PRICE

25g/m<sup>2</sup> 2m x 1.1m 1off

Gloss Finish Or Semi-Matt Finish

Pack £19.00

Or

49g/m<sup>2</sup> 2m x1.1m 1off

Gloss Finish Or Semi-Matt Finish

Pack £17.50



When covering a foam surface, sand the foam smooth then cut the glass fibre woven cloth to size and lay on the foam surface. Now wet out the cloth with the Bucks Single-Part coating system with a coating brush or a roller then leave for 2 hours to dry before applying another coat. Repeat the process until the required finish is achieved.

#### **BUCKS 4 METRE SINGLE-PART COATING KIT**

Makes a good base layer with glass fibre woven cloth (25g or 49g) for painting foam models.

Two packs of 2 metre long of 25g or 49g Woven Glass Fibre Cloth, 500ml of Bucks Single-Part Coating System, 1 Synthetic Coating 1" Brush, epoxy resin spreader card, 60ml Pot & Pair of Surgical gloves

The brush when used with Single-Part Coating System can be easily cleaned with warm soapy water.

Not fuel proof.

Foam Friendly, No mixing required, dries clear. Shake bottle before use

Full Strength can be over 8 weeks.

**PRICE** 

25g/m<sup>2</sup> 2m x 1.1m 2off

Gloss Finish Or Semi-Matt Finish

Pack £37.00

Or

49g/m<sup>2</sup> 2m x1.1m 2off

Gloss Finish Or Semi-Matt Finish

Pack £34.00

Low Odour & easy to use



#### Technical data:


- Weighs in 0.1 g increments up to 2000 g
- Extra-large 10 x 10 cm weighing platform of brushed aluminium
- Very fast and precise measurement
- Easy to read display with blue backlight
- Short self-calibration after switching on
- Easy to operate with 4 buttons

Please see our weighing / ratio chart for measuring resins.

PRICE

£27.50





#### **GLASS FIBRE REINFORCED POLY SELF-ADHESIVE TAPE**

Glass Fibre Reinforced Cross-weave, Bi-directional heavy duty polypropylene self-adhesive tape

For use on EPP model aircraft for covering the model. Very strong and resilient.

Note: Not suitable for use with resin.

- Glass Fibre Reinforced Cross-weave, Bi-directional heavy duty polypropylene self-adhesive tape.
- 12mm (1/2") wide, 50 metre Roll
- 25mm (1") wide, 50 metre Roll
- 50mm (2") wide, 50 metre Roll
- 75mm (3") wide, 50 metre Roll

#### Price

12mm (1/2") wide

50 metre roll £3.00

25mm (1") wide

50 metre roll £3.75

50mm (2") wide

50 metre roll £5.75

75mm (3") wide

50 metre roll £13.50



#### GLASS FIBRE REINFORCED PAPER SELF-ADHESIVE TAPE

Cross weave Paper Tape - High adhesion, breaking and tensile strength.

Cross weave paper tape is a versatile and robust adhesive tape that is designed to provide exceptional strength and durability for various uses.

- Glass Fibre Reinforced Cross-weave, Bi-directional Paper selfadhesive tape.
- 50mm (2") wide, 25 metre Roll.
- 0.10mm thickness

#### **Price**

50mm (2") wide 25 metre roll £3.75



### **Carbon Fibres**

### **Chopped Strands 6mm**

Mix resin with correct ratio of hardener and stir well, then spoon out the required amount of Carbon Fibres and add the activated resin to the Carbon Fibres add more or less of the activated resin to control the required viscosity and stir well. This forms a very strong filling compound for reinforcing.

For use with Epoxy, Polyester & Vinyl ester resins

Store in a cool and dry area.

#### **PRICE**

50g 250ml Pot £4.50

100g 500ml Pot £8.00

200g 1 litre Pot £15.00



#### **MICRO BALLOONS**

Lightweight sandable glass / resin filler.

Mix a small amount of resin and correct ratio of hardener. Spoon out the required amount of micro balloons into a mixing pot and add a small amount of the Activated resin and hardener into the micro balloons to form a filler paste.

Colour: White. Weight- 0.19 g/cm<sup>3</sup>.

Ultra Lightweight sandable glass / resin filler. Almost half the weight of Micro Balloons.

Colour: White. Weight- 0.12 g/cm<sup>3</sup>.



1 litre Bag £7.50

1 litre Bag £9.50



#### SUPER LIGHTWEIGHT FAIRING COMPOUND

This produces a strong Lightweight sandable filler and fairing compound. Holds a feathered edge well without crumbling.

- Mix a small amount of resin and correct ratio of hardener. Spoon out the required amount of fairing compound into a mixing pot and add a small amount of the Activated resin and hardener into the fairing compound to form a putty.

5 times lighter than micro balloons

Colour: Tan.



250ml pot £3.50

500ml pot £5.50

1 litre pot £9.50



#### **ALUMINIUM POWDER**

Fine, powdery aluminium powder as an additive for pouring and moulding compounds.

Enhances the impact and compressive strength of compounds. Increases the thermal conductivity of the moulding compounds Reduces the hardening shrinkage

Can have thixotropic agent added to prevent flow.

For epoxy, polyester, and vinyl ester resins

**PRICE** 

250g pot £8.50

500g pot £14.50

> 1kg pot £22.50



#### **MICRO FIBRES**

This produces a strong non-sandable durable bonding paste.

- Mix a small amount of resin and correct ratio of hardener. Spoon out the required amount of micro fibres into a mixing pot and add a small amount of the Activated resin and hardener into the micro fibres to form a paste for fillets.

**Colour: White** 

#### PRICE

250ml pot £3.50

500ml pot £5.50

1litre pot £9.50



#### THIXOTROPIC AGENT (COLLOIDAL SILICA)

Add Thixotropic agent in to resin and hardener for general thickening of resin and also can produce a Gel coat for moulding.

Non drip. Add 0.5% to 6% by weight of Thixotropic Agent To Resin & Hardener.

Colour: White

#### **PRICE**

1 litre bag £5.50

16
METAL HANDLE BRUSHES 7/16INCH PRICE
Ideal for cleaning model engines. Will withstand different solvents for cleaning due to metal body.
Pack of 1       40p         Pack of 5       £1.75         Pack of 12       £3.50         Pack of 24       £6.00
WOODEN SHORT & LONG BRISTLE BRUSH PRICE 5/16INCH
Short Bristle is ideal for pushing fabrics into corners when laminating.  When used with Activated Epoxy Resin and Hardener then the brush can be cleaned with our Epoxy Cleaner / Thinners before the Resin cures.  Please specify short or long bristle.  Disposable type pack of 1
WOODEN SHORT & LONG BRISTLE BRUSH  5/8INCH Short Bristle is ideal for pushing fabrics into corners when laminating. When used with Activated Epoxy Resin and Hardener then the brush can be cleaned with our Epoxy Cleaner / Thinners before the Resin cures. Please specify short or long bristle Disposable type pack of 1
WOODEN ASSORTED BRUSHES.  5/16 inch Short & Long Bristle 1 of each 5/8 inch Short & Long Bristle 1 of each Pack Contains 4 Brushes
BUCKS SYNTHETIC COATING BRUSH 1INCH  For use with Single-Part Coating System or epoxy resin  Synthetic Coating Brush 1" pack of 1
Synthetic Coating Brush 1" pack of 2

### PURE WHITE BRISTLE BRUSHES PRICE



#### 



Wooden handle			
1" brush.	Pack of 1	55p	
1" brushes	Pack of 5	£2.50	
1" brushes.	Pack of 12	£5.00	



	Jaon nanc	210	
1½"	brush.	Pack of 1	65p
1½"	brushes.	Pack of 4	£2.40
1½"	brushes.	Pack of 12	£6.50



i lastic flati	uic		
2" brush.	Pack of 1	£1.	.00
2" brushes.	Pack of 3	£2	.70
2" brushes.	Pack of 5	£4	.00
2" brushes.	Pack of 12	£9	.00

When used with Epoxy Resin and Hardener then the brush can be cleaned with our Epoxy Thinners.

When used with Polyester Resin then the brush can be cleaned with Pure Acetone.

Available as a single brush, or in bulk packs.

#### **BUCKS 2 INCH FOAM RESIN ROLLER**

**PRICE** 

Use the 2" foam roller for applying thin coating of activated epoxy resin and hardener to Ultra lightweight & Super lightweight glass fibre woven cloth on models..

The 2" roller is good for most size of models.

The foam rollers are a push on fit onto the 2" roller handle.

The foam rollers after use cannot be easily cleaned if used with activated epoxy resin & hardener.

The foam rollers if used with Single-Part coating system can be cleaned with warm soapy water.

The tray can be re-used if cleaned straight after use with absorbent paper

Resin 2" Roller Handle only	£1.00
Resin 2" Foam Roller Qty 1	£3.50 £6.50
Resin Roller Tray Qty 1	£4.00 £7.50

#### **KITS**

2"	Resin Roller	Kit (Small)		
2"	Rollers x5. 2"	Handle x1 &	Trav x1 - per ki	t£5.00

### 2" Resin Roller Kit (Medium) 2" Rollers x10, 2" Handle x1 & Tray x2 - per kit.....£8.00

# 2" Resin Roller Kit (Large) 2" Rollers x20, 2" Handle x1 & Tray x4 - per kit.....£14.50



We recommend the use of rollers for applying activated epoxy resin to Super or Ultra lightweight woven glass fibre cloth on model aircraft wings and fuselage to prevent dragging the glass cloth. Depending on the quantity of the activated epoxy resin applied to glass fibre woven cloth with a roller, may need the surplus activated resin removed with absorbent paper (toilet tissue roll) to save weight of the model. In the pre-cured state of the activated resin the absorbent paper does not stick and can be peeled away from the model easily before the curing process. Remember surplus resin is only going to add weight to the model so must be removed and only leave enough of the activated epoxy resin to stick the woven glass fibre cloth to the model.





#### BUCKS 4 INCH MINI VELOUR RESIN ROLLER PRICE

Use the 4" Velour roller for applying larger volumes of activated epoxy resin and hardener to medium to heavy weight fabrics for laminating.

The Velour rollers are a push on fit onto the 4" roller handle.

The Velour rollers after use cannot be easily cleaned if used with activated epoxy resin & hardener.

The tray can be re-used if cleaned straight after use with absorbent paper

4" Resin Mini Velour Roller Handle only	£1.00
4" Mini Velour Resin Roller Qty 1	£4.75
Resin Roller Tray Qty 1	£4.00 £7.50
KIIO	

#### 4" Velour Resin Roller Kit (Small)

4" Rollers x5, 4" Handle x1 & Tray x1 - per kit.....£6.00

#### 4" Velour Resin Roller Kit (Medium)

4" Rollers x10, 4" Handle x1 & Tray x2 - per kit.....£10.00

#### GLASS FIBRE SHEARS, APPROX. 21 CM LENGTH

Straight shears for glass and carbon.

- 2-component handle
- Blade stainless steel
- Micro-Serrated Edge on one side

Length: approx. 21 cm Weight: approx. 112 g

Due to the micro-serration on one side, the fabric cannot slip, so precise cuts are possible.

£25.00



GRADUATED MIXING POTS PACKS		PRICE	
Graduated Mixing Pots with spatulas			
25ml pots (in 1ml increments)	10 of each	£1.00	
60ml pots (in 10ml increments)	5 of each	£1.00	
60ml pots (in 10ml black increments)	5 of each	£2.65	
60ml pots (in 5ml increments) Tall	5 of each	£1.50	
Graduated Mixing Pots in Bulk No	spatulas		
25ml pots (in 1ml increments)	pack of 100	£5.00	
60ml pots (in 10ml increments)	pack of 10	£1.75	
60ml pots (in 10ml increments)	pack of 25	£3.75	
60ml pots (in 10ml increments)	pack of 50	£6.25	
60ml pots (in 10ml black increments)	pack of 10	£4.00	
60ml pots (in 10ml black increments)	pack of 25	£9.25	
60ml pots (in 10ml black increments)	pack of 50	£17.50	
60ml pots (in 10ml increments) Tall	pack of 10	£2.50	



WOODEN MIXING SPATULAS	PRICE
114mm long x 10mm x 2mm thick. Pack of 50	£3.50 £6.50



### LONG WOODEN MIXING / FILLETING SPATULAS PRICE

150m long x 17mm wide pack of 8	40p
150m long x 17mm wide pack of 25	75p
150mm long x 17mm wide pack of 50	£1.25
150mm long x 17mm wide pack of 100	£2.00



#### NON GRADUATED MIXING / STORAGE POTS PRICE

Pack of <b>150ml</b> mixing pots with lids.	
Pack of 2	£1.60
Pack of 4	£2.80
Pack of 6	£3.60
Pack of 8	£4.80



### NON GRADUATED MIXING / STORAGE POTS PRICE

Pack of 250ml mixing pots with lids.	
Pack of 2	£2.60
Pack of 4	£4.80
Pack of 6	£6.60
Pack of 8	£8.00





# Syringes non-sterile

2ml (2 part)	each	10p
	each	
\ i /	each	
	each	
= - · · · · ( <b>-</b>   <b>-</b> • · · · · )	* *· *·	

MEASURING EQUIPMENT- SYRINGES 2 part PRICE



#### **MEASURING EQUIPMENT- SYRINGES 3 part PRICE**

#### Syringes non-sterile

l	1ml (3 part)	each20p	)
		each25p	
		each30p	
		each45p	
		each75p	
		each large Nozzle.(needles not suited)75p	

### **Cutting Discs**

(pack contains 36 discs)



Ideal for cutting carbon fibre Rod, Tube, Strip etc.

- Mandrel size 3.1mm 1 off
- Disc diameter 22mm 36 off
- Screw and washer 1 of each
- Max 28,000rpm

Wear eye protection when using.

WARNING: Never touch the wheel while it is spinning. It is deceptively sharp and can cut your skin and bone in a fraction of a second.

When cutting work in a well ventilated area and do not breathe dust / fumes from glass fibre or carbon fibre and wear eye £2.00 protection.

### Drum Sanding Kit 9.5mm outside diameter



3.1mm drum mandrel 9.5mm drum outside diameter 6-Sanding drums 80 grit Max 28,000rpm

#### **WARNINGS:**

Keep out of the hands of children. Wear eye protection when using.

Never touch the sanding drum while it is spinning. When sanding work in a well ventilated area and do not breathe dust / fumes from wood, glass fibre or carbon fibre

£1.00



#### **MASKING TAPE PREMIUM**

Premium Masking Tape 18mm x 50m	£1.75
Premium Masking Tape 24mm x 50m	£2.25
Premium Masking Tape 36mm x 50m	£3.00
Premium Masking Tape 48mm x 50m	£3.75

# Diamond Coated on both sides Cutter Disc.

(pack contains 1 discs and 1 Arbors)



Works with any power drill.

Arbor size 1/8"with washer and screw 1 off

Diamond Coated Disc on both sides, diameter

50mm (2inch) 1 off

Keep free from dirt and solvents for long life and trouble free use.

The faster the drill the better the wheel cuts.

#### **WARNING:**

Never touch the wheel while it is spinning. It is deceptively sharp and can cut your skin and bone in a fraction of a second.

Keep out of the hands of children.

When cutting work in a well ventilated area and do not breathe dust / fumes from glass fibre or carbon fibre and wear eye protection. £2.50

#### Diamond Bur Set, 30Pcs



Grit 150, Shank 3mm (1/8")

Assorted Diamond Points Ideal for Craft, Modelling, Home Repair, Use On Ceramics Tile, Glass, Plastics, Fibreglass, Carbon Fibre,

Stone, and Wood.

Great Value.

30 Piece.

#### **WARNINGS:**

Keep out of the hands of children.


Wear eye protection when using.

Never touch the bur while it is spinning.

When using work in a well ventilated area and do not

breathe dust / fumes from the working area.

£4.50



#### SANDING PAD (DOUBLE SIDED)

400 grade grit ( size 4" x 5" )

Use wet or dry. Add a few drops of Fairy liquid in the water and this will prevent the sanding pad from clogging.

	Price
Single	40p
Pack of 5	£1.90
Pack of 10	£3.60
Pack of 25	£8.50
Pack of 50	£16.00



Extremely lightweight (22 g)

- Wide and unobstructed vision
- Extremely comfortable for all-day wear

£8.50



#### Particulate filter half mask of protection class FFP3

Lightweight mask for protection against toxic and harmful dust, smoke and aerosols up to 30 times the occupational workplace exposure limit.

- Respirator masks of protection class FFP3 offer the greatest possible protection against air pollution.
- Carcinogenic and radioactive pollutants and pathogens such as viruses, bacteria and fungal spores are filtered by this protection class.
- Total leakage must not exceed 5 %.
- Protection of at least 99 % against particles up to a size of 0.6 μm
- Used, for example, in the chemical industry.

This respirator mask has a carbon material integrated, so it reliably protects against unpleasant odours, gases and vapours below the limit value. In addition, the mask has a exhalation valve to reduce breathing resistance and to reduce heat and moisture development under the mask.

FFP = filtering face piece £7.50

#### Warning: Resins & Additives

Some of our products for sale here can be an irritant to the skin and Bucks-Composites recommend the use of protective surgical gloves. You should also consider eye protection if a risk of splashing exists. In addition many chemicals should not be inhaled therefore ensure you work in a well ventilated area and wear a mask.





#### GLOVES NITRILE DISPOSABLE

**PRICE** 

#### Please specify your size when ordering:

Small / Medium / Large / Extra-Large

Pack of 10 Gloves	. <b>55</b> P
Pack of 20 Gloves	£1.00
Box of 100 Gloves	£4.50

- Not suitable for use with Acetone or aggressive solvents.
- They are powder free and ambidextrous.
- Latex-free
- Higher protection over latex and vinyl



### PLASTIC DISPOSABLE GLOVES CLEAR PRICE

For light duty work



#### **BUCKS-COMPOSITES CAPS**

**PRICE** 

£5.00 EACH

Cap with Bucks-Composites logo

Colour: Navy Blue, White or Royal Blue

Size: one size, Adjustable with Velcro

Quality embroidery

Quality product

	20
CARBON FIBRE PULTRUDED RECTANGULAR STRIPS - LENGTH 1 METRE	PRICE
Carbon Fibre Strip 3.0mm X 0.13mm 1 metre length - weight 0.53g approx	£5.00
Carbon Fibre Strip 3.0mm X 0.4mm 1 metre length - weight 1.7g approx	£3.00
Carbon Fibre Strip 3.0mm X 0.8mm 1 metre length - weight 3.7g approx	£4.50
Carbon Fibre Strip 3.0mm X 1.0mm 1 metre length - weight 6.7g approx	£4.50
Carbon Fibre Strip 6.0mm X 0.6mm 1 metre length - weight 5.5g approx	£3.50
Carbon Fibre Strip 6.0mm X 0.8mm 1 metre length - weight 7.7g approx	£5.00
Carbon Fibre Strip 8.0mm X 0.8mm 1 metre length - weight 10.2g approx	£5.00
Carbon Fibre Strip 10.0mm X 0.5mm 1 metre length - weight 7.5g approx	£5.00
Carbon Fibre Strip 12.0mm X 2.0mm 1 metre length - weight 36g approx	£10.00
Carbon Fibre Strip 20.0mm X 0.5mm 1 metre length - weight 16g approx	£7.00
Carbon Fibre Strip 20.0mm X 1.0mm 1 metre length - weight 32g approx	£8.00
Carbon Fibre Strip 20.0mm X 2.0mm 1 metre length - weight 62g approx	£10.50
CARBON FIBRE PULTRUDED SOLID ROUND RODS - LENGTH 1 METRE	PRICE
Carbon Fibre Solid Round Rod 0.28mm OD - weight 0.2g approx	£4.50
Carbon Fibre Solid Round Rod 1.0mm OD - weight 1.1g approx	£3.00
Carbon Fibre Solid Round Rod 1.5mm OD - weight 2.6g approx	£3.50
Carbon Fibre Solid Round Rod 2.0mm OD - weight 4.6g approx	£3.50
Carbon Fibre Solid Round Rod 3.0mm OD - weight 11.0g approx	£4.50
Carbon Fibre Solid Round Rod 4.0mm OD - weight 19.0g approx	£4.50
Carbon Fibre Solid Round Rod 5.0mm OD - weight 32g approx	£5.50
Carbon Fibre Solid Round Rod 6.0mm OD - weight 45g approx	£7.00
Carbon Fibre Solid Round Rod 7.0mm OD - weight 60g approx	£10.50
Carbon Fibre Solid Round Rod 8.0mm OD - weight 79g approx	£9.50
Carbon Fibre Solid Round Rod 10.0mm OD - weight 117.8g approx	£13.00
Carbon Fibre Solid Round Rod 12.0mm OD - weight 176g approx	£17.50



CARBON FIBRE PULTRUDED HOLLOW ROUND TUBES- LENGTH 1 METRE	PRICE
1.0mm OD X 0.5mm ID Wall thickness 0.25mm - weight 0.8g approxPultruded	£7.50
2.0mm OD X 1.0mm ID Wall thickness 0.50mm - weight 3.5g approxPultruded	£7.50
2.5mm OD X 1.5mm ID Wall thickness 0.50mm - weight 4.6g approxPultruded	£7.50
3.0mm OD X 1.5mm ID Wall thickness 0.75mm - weight 8g approxPultruded	£6.50
3.0mm OD X 2.0mm ID Wall thickness 0.50mm - weight 5.6g approxPultruded	£6.50
4.0mm OD X 2.5mm ID Wall thickness 0.75mm - weight 7.7g approxPultruded	£5.00
5.0mm OD X 3.0mm ID Wall thickness 1.00mm - weight 19g approxPultruded	£5.50
5.5mm OD X 3.0mm ID Wall thickness 1.25mm - weight 19.1g approxPultruded	£5.50
6.0mm OD X 4.0mm ID Wall thickness 1.00mm - weight 23.5g approxPultruded	£5.50
8.0mm OD X 5.0mm ID Wall thickness 1.50mm - weight 28.3g approxPultruded	£8.50
8.0mm OD X 6.0mm ID Wall thickness 1.00mm - weight 33g approxPultruded	£9.50
10.0mm OD X 7.0mm ID Wall thickness 1.50mm - weight 61g approxPultruded	£10.00
10.0mm OD X 8.0mm ID Wall thickness 1.00mm - weight 42.5g approxPultruded	£9.50
11.8mm OD X 10.0mm ID Wall thickness 0.90mm - weight 75g approxPultruded	£11.00
12.0mm OD X 8.0mm ID Wall thickness 2.00mm - weight 52g approxPultruded	£11.50
12.0mm OD X 9.0mm ID Wall thickness 1.50mm - weight 85g approxPultruded	£10.00
12.0mm OD X 10.0mm ID Wall thickness 1.00mm - weight 52g approxPultruded	£11.00
14.0mm OD X 12.0mm ID Wall thickness 1.00mm - weight 63g approxPultruded	£13.00
16.0mm OD X 14.0mm ID Wall thickness 1.00mm - weight 77g approxPultruded	£15.50

Our postage & packaging for carbon fibre profiles start from £7.75



CARBON FIBRE PULLWOUND HOLLOW ROUND TUBES - LENGTH 1 METRE	PRICE
14.0mm OD X 10.0mm ID Wall thickness 2.00mm – weight…116g approxPullwound	£17.50
15.0mm OD X 12.0mm ID Wall thickness 1.50mm - weight100g approxPullwound	£18.50
16.0mm OD X 13.0mm ID Wall thickness 1.50mm - weight107g approxPullwound	£20.50
20.0mm OD X 17.0mm ID Wall thickness 1.50mm - weight143g approxPullwound	£26.50
23.5mm OD X 20.0mm ID Wall thickness 1.75mm – weight200g approxPullwound	£27.50
25.0mm OD X 22.0mm ID Wall thickness 1.50mm - weight170g approxPullwound	£26.00
30.0mm OD X 27.0mm ID Wall thickness 1.50mm - weight216g approxPullwound	£31.00
35.0mm OD X 32.0mm ID Wall thickness 1.50mm - weight .235g approxPullwound	£36.50
38.0mm OD X 34.0mm ID Wall thickness 2.00mm - weight .315g approxPullwound	£46.50



CARBON FIBRE THINWALL PULLWOUND HOLLOW ROUND TUBES - LENGTH 1 METRE	PRICE
18mm OD x 16mm ID Wall thickness 1.0mm - weight80g approxThinwall, Pullwound	£25.00
20mm OD x 18mm ID Wall thickness 1.0mm - weight90g approxThinwall, Pullwound	£27.50
22mm OD x 20mm ID Wall thickness 1.0mm - weight .100g approxThinwall, Pullwound	£30.00
26mm OD x 24mm ID Wall thickness 1.0mm - weight .130g approxThinwall, Pullwound	£32.50
30mm OD x 28mm ID Wall thickness 1.0mm - weight .152g approxThinwall, Pullwound	£35.00
34mm OD x 32mm ID Wall thickness 1.0mm - weight .150g approxThinwall, Pullwound	£37.50

**PRICE** 

**PRICE** 

**PRICE** 



CARBON FIBRE PULTRUDED SOLID SQUARE RODS LENGTH 1 METRE
---

Carbon Fibre Solid Square Rod 4.0mm X 4.0mm - weight 24g approx......



### CARBON FIBRE PULTRUDED HOLLOW SQUARE TUBES LENGTH 1 METRE

Carbon Fibre Hollow Square Tube 4.0mm X 4.0mm 2.5x2.5mm - weight 14.6g approx ...... £7.50

Carbon Fibre Hollow Square Tube 8.0mm X 8.0mm 7x7mm - weight 22.5g approx ...... £10.00

Carbon Fibre Hollow Square Tube 10.0mm X 10.0mm 8x8mm - weight 54g approx ...... £17.50



#### CARBON FIBRE PULTRUDED HOLLOW SQUARE TUBES WITH ROUND HOLE LENGTH 1 METRE


Carbon Fibre Hollow Square Tube 1.4mm X 1.4mm 0.8mm round hole - weight 2.2gapprox	£4.50
Carbon Fibre Hollow Square Tube 2.5mm X 2.5mm 1.5mm round hole - weight 6.8g approx	£3.50
Carbon Fibre Hollow Square Tube 4.0mm X 4.0 mm 3.0mm round hole - weight 13.5g approx	£7.50
Carbon Fibre Hollow Square Tube 6.1mm X 6.1 mm 5.0mm round hole - weight 27g approx	£10.00
Carbon Fibre Hollow Square Tube 10.0mm X 10.0mm 8.0mm round hole - weight 75g approx	£20.00



GLASS FIBRE EPOXY SHEET	PRICE
0.5mm Thickness Smooth both sides 150mm x 350mm. – Weight 50g approx	£8.00
1.0mm Thickness Smooth both sides 150mm x 350mm - Weight 100g approx	£9.00
1.6mm Thickness Smooth both sides 150mm x 350mm - Weight 170g approx	£10.00
2.0mm Thickness Smooth both sides150mm x 350mm - Weight 200g approx	£11.00
3.2mm Thickness Smooth both sides150mm x 350mm - Weight 340g approx	£14.00



To the state of th	
CARBON FIBRE SHEET 100% CARBON FIBRE High Gloss	PRICE
Ultra high-quality, visually appealing on one side.	
0.5mm Thickness 150mm x 340mm One layer of twill weave cloth. High gloss on one side & bondable other side	£15.00
0.5mm Thickness 80mm x 1000mm One layer of twill weave cloth. High gloss on one side & bondable other side	£15.00
0.5mm Thickness 160mm x 1000mm  One layer of twill weave cloth. High gloss on one side & bondable other side	£27.50
0.5mm Thickness 310mm x 1000mm  One layer of twill weave cloth. High gloss on one side & bondable other side	£52.50
CARBON FIBRE SHEET 100% CARBON FIBRE High Gloss	PRICE
Ultra high-quality, visually appealing on both sides.	
1.5mm Thickness 150mm x 340mm - Weight 145g approx Both sides twill weave. High gloss and smooth on both sides	£30.00
2.0mm Thickness 150mm x 340mm - Weight 175g approx Both sides twill weave. High gloss and smooth on both sides	£35.00
3.0mm Thickness 150mm x 340mm - Weight 245g approx Both sides twill weave High gloss and smooth on both sides	£40.00



CARBON FIBRE SHEET 100% CARBON FIBRE Not Glossy	PRICE
0.5mm Thickness 150mm x 350mm  Both sides twill weave. Smooth on both sides - Weight 35g approx	£20.00
1.0mm Thickness 150mm x 350mm Both sides twill weave. Smooth on both sides - Weight 85g approx	£25.00
1.5mm Thickness 150mm x 350mm Both sides twill weave. Smooth on both sides - Weight 125g approx	£30.00
2.0mm Thickness 150mm x 350mm Both sides twill weave. Smooth on both sides - Weight 185g approx	£35.00
2.5mm Thickness 150mm x 350mm Both sides twill weave Smooth on both sides - Weight 210g approx	£40.00
3.0mm Thickness 150mm x 350mm Both sides twill weave Smooth on both sides - Weight 240g approx	£45.00